2013 Soybean Top 30 Harvest Report

Illinois South [ILSO] VANDALIA Ronnie Sloan, Fayette County, IL 62557



Corn / Degree Xtra, Roundup PREV. CROP/HERB:

SOIL DESCRIPTION: Cowden silty clay loam, moderately drained, non-irrigated SOIL CONDITIONS: Mod. High P, mod. high K, 6.2 pH, 3.1% OM, medium SCN

TILLAGE/CULTIVATION: Minimum w/ fall till

PEST MANAGEMENT: Warrant, Roundup

All-Season Test 3.8 - 4.7 Day CRM

S2013ILSO21

Top 30 of 60

| SEEDED - RATE - ROW: | Jun 11 | 139,000 /A | 30" Spacing | | | | Sorte | d for YIELD |
|----------------------|--------|------------|-------------|------|-------|------------------|----------------------|--------------|
| HARVESTED - STAND: | Nov 13 | 113,600 /A | | | | Averag | ge of (3) F | Replications |
| | | | SCN | Seed | Yield | Moisture Lodging | Stand | Gross |

| - | | | | SCN | Seed | Yield I | Moisture | Lodaina | Stand | Gross |
|-----------------------|--------------------|-----------|------|----------|---------------------------|--------------------|----------|---------|----------------|-------------|
| Company/Brand | Product/Brand† | Technol.† | Mat. | | Trmt.† | ↓ Bu/A ↓ | % | % | (x 1000) | |
| FS Hisoy | HS 40A32 | RR2Y | 4.0 | R | CMB | 74.3 | 11.1 | 33 | 133.6 | \$966 |
| Stone | 2R4003 | RR2Y | 4.0 | R | ACi | 72.5 | 11.0 | 0 | 119.1 | \$943 |
| Dairyland | DSR-4633/R2Y | RR2Y | 4.5 | R | CMB,O | 72.1 | 11.4 | 16 | 87.1 | \$937 |
| Dyna-Gro | 39RY43 | RR2Y | 4.3 | R | ACi | 72.0 | 11.1 | 0 | 122.0 | \$936 |
| LG Seeds | C3989R2 | RR2Y | 3.8 | R | AC,PV | 71.4 | 10.9 | 6 | 119.1 | \$928 |
| FS Hisoy | HS 42A12 | RR2Y | 4.2 | R | CMB | 71.1 | 11.2 | 19 | 116.2 | \$924 |
| Stone | 2R4302 | RR2Y | 4.3 | R | ACi | 71.1 | 11.2 | 20 | 113.3 | \$924 |
| Asgrow | AG4232 § | RR2Y,STS | 4.2 | R | ACi | 70.7 | 11.4 | 17 | 133.6 | \$919 |
| Stine | 38RD02 § | RR2Y | 3.8 | R | CMB | 70.5 | 11.2 | 0 | 98.7 | \$917 |
| Pioneer | 94Y23 § | RR | 4.2 | R | None | 70.3 | 11.3 | 0 | 116.2 | \$914 |
| Pfister | 38R25 | RR2Y | 3.8 | R | CMB | 70.3 | 11.4 | 29 | 101.6 | \$914 |
| Steyer | 3803R2 | RR2Y | 3.8 | MR | SStd | 70.2 | 11.4 | 2 | 98.7 | \$913 |
| Seed Consultants | SCS 9421RR | RR,STS | 4.2 | R | EE,G | 70.1 | 11.6 | 3 | 110.4 | \$911 |
| Dyna-Gro | 31RY45 | RR2Y | 4.5 | R | ACi | 70.0 | 11.3 | 21 | 124.9 | \$910 |
| Great Heart | GT-427CR2 | RR2Y | 4.2 | R | AP | 69.8 | 11.2 | 0 | 133.6 | \$907 |
| Seed Consultants | SCS 9474RR | RR | 4.7 | R | EE,G | 69.4 | 11.5 | 17 | 122.0 | \$902 |
| Great Heart | GT-431CR2 | RR2Y | 4.3 | R | None | 69.2 | 11.6 | 15 | 95.8 | \$900 |
| Steyer | 4203R2 | RR2Y | 4.2 | MR | SStd | 68.9 | 11.1 | 0 | 101.6 | \$896 |
| Pfister | 43R29 | RR2Y | 4.3 | R | CMB | 68.9 | 11.1 | 2 | 92.9 | \$896 |
| Seed Consultants | SCS 9412RR | RR | 4.1 | R | EE,G | 68.8 | 11.1 | 3 | 107.5 | \$894 |
| Seed Consultants | SCS 9443RR | RR | 4.4 | R | EE,G | 68.8 | 11.4 | 6 | 119.1 | \$894 |
| Seed Consultants | SCS 9393RR | RR | 3.9 | R | EE,G | 68.5 | 10.8 | 0 | 113.3 | \$891 |
| Seed Consultants | SCS 9392RR | RR | 3.9 | R | EE,G | 68.5 | 11.6 | 26 | 110.4 | \$891 |
| Dairyland | DSR-4330/R2Y | RR2Y | 4.3 | R | CMB,O | 68.3 | 11.5 | 1 | 116.2 | \$888 |
| Asgrow | AG3934 § | RR2Y | 3.9 | S | ACi | 67.9 | 11.4 | 12 | 130.7 | \$883 |
| Asgrow | AG3832 § | RR2Y | 3.8 | R | ACi | 67.8 | 11.2 | 0 | 104.5 | \$881 |
| Stone | 2R4204 | RR2Y | 4.2 | R | ACi | 67.7 | 11.4 | 33 | 119.1 | \$880 |
| Channel | 4306R2/STS | • | 4.3 | R | ACi | 67.5 | 11.3 | 0 | 104.5 | \$878 |
| LG Seeds | C4544R2 | RR2Y | 4.5 | R | AC,PV | 67.5 | 11.3 | 21 | 113.3 | \$878 |
| FS Hisoy | HS 38A32 | RR2Y | 3.8 | R | CMB | 67.5 | 11.5 | 38 | 110.3 | \$878 |
| | | | | Toct | Average = | 66.0 | 11.4 | 11 | 113.6 | \$868 |
| Eric Beyers | | | | | Average $=$ $5D (0.10) =$ | 66.8 4.2 | 0.3 | 16 | 113.0 | φουο |
| | om (247) 025 0072 | | | LS | C.V. = | 4.2 4.6 | | 10 | | |
| ewbeye@notmail.c | om, (217) 825-9072 | | | | C.V. = | 4.0 | 1.7 | | \$13 <u>00</u> | Local GMO |
| Yield & Income Factor | s Base Moisture : | = 13.0% | | Shrink = | : 1.3 | Drying = | \$0.020 | Price = | | Local GIVIO |

Non-GMO TEST COMMENTS: Excellent yields for this site! Seed size was large and seed quality was very good. Sometime during the season, a strong wind storm must have moved through the area. Some varieties were lying nearly horizontal from a point about 5-6" above the

Additional reports and searchable database available at www.firstseedtests.com

Report date: 11/14/2013 Revised:

AgSCI Copyright 2013

ground. This greatly reduced harvest speed but the reel did a good job of pulling them into the header. Plant heights were robust at 40-50". † See last page for additional information. Results in **bold** are significantly above the test average. **CK** = check and **GC** = grower comparison products, § = United Soybean Board entry; ns = not significantly different.



All-Season Test Products (60 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt | Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt |
|------------------|---------------|----------|------|-----|----------|------------------|---------------|----------|------|-----|-------------|
| Asgrow | AG3832 § | RR2Y | 3.8 | R | ACi | Seed Consultants | SCS 9434RR | RR | 4.3 | R | EE,G |
| Asgrow | AG3934 § | RR2Y | 3.9 | S | ACi | Seed Consultants | SCS 9443RR | RR | 4.4 | R | EE,G |
| Asgrow | AG4033 GC | RR2Y | 4.0 | R | ACi | Seed Consultants | SCS 9474RR | RR | 4.7 | R | EE,G |
| Asgrow | AG4232 § | RR2Y,STS | 4.2 | R | ACi | Steyer | 3803R2 | RR2Y | 3.8 | MR | SStd |
| Channel | 4306R2/STS | RR2Y,STS | 4.3 | R | ACi | Steyer | 4203R2 | RR2Y | 4.2 | MR | SStd |
| Channel | 4500R2/STS | RR2Y,STS | 4.5 | S | ACi | Steyer | 4401R2 | RR2Y,STS | 4.4 | MR | SStd |
| Channel | 4705R2/STS | RR2Y,STS | 4.7 | R | ACi | Steyer | 4501R2 | RR2Y,STS | 4.5 | S | SStd |
| Dairyland | DSR-4010/R2Y | RR2Y | 4.0 | MR | CMB,O | Steyer | 4701R2 | RR2Y | 4.7 | MR | SStd |
| Dairyland | DSR-4330/R2Y | RR2Y | 4.3 | R | CMB,O | Stine | 38RD02 § | RR2Y | 3.8 | R | CMB |
| Dairyland | DSR-4633/R2Y | RR2Y | 4.5 | R | CMB,O | Stine | 40RC32 § | RR2Y | 4.0 | R | CMB |
| Dairyland | DSR-4850/R2Y | RR2Y | 4.8 | R | CMB,O | Stone | 2R4003 | RR2Y | 4.0 | R | ACi |
| Dyna-Gro | 31RY45 | RR2Y | 4.5 | R | ACi | Stone | 2R4204 | RR2Y | 4.2 | R | ACi |
| Dyna-Gro | 39RY43 | RR2Y | 4.3 | R | ACi | Stone | 2R4302 | RR2Y | 4.3 | R | ACi |
| Dyna-Gro | S39RY33 | RR2Y | 3.9 | R | ACi | Stone | 2R4604STS | RR2Y,STS | 4.6 | R | ACi |
| FS Hisoy | HS 38A32 | RR2Y | 3.8 | R | CMB | Stone | 2R4903STS | RR2Y,STS | 4.9 | R | ACi |
| FS Hisoy | HS 39A22 | RR2Y | 3.9 | R | CMB | | | | | | |
| FS Hisoy | HS 40A32 | RR2Y | 4.0 | R | CMB | | | | | | |
| FS Hisoy | HS 42A12 | RR2Y | 4.2 | R | CMB | | | | | | |
| FS Hisoy | HS 43A32 | RR2Y | 4.3 | R | CMB | | | | | | |
| FS Hisoy | HS 44A22 | RR2Y,STS | 4.4 | R | CMB | | | | | | |
| FS Hisoy | HS 45A12 | RR2Y | 4.5 | R | CMB | | | | | | |
| FS Hisoy | HS 47A32 | RR2Y,STS | 4.7 | R | CMB | | | | | | |
| Great Heart | GT-427CR2 | RR2Y | 4.2 | R | AP | | | | | | |
| Great Heart | GT-431CR2 | RR2Y | 4.3 | R | None | | | | | | |
| LG Seeds | C3989R2 | RR2Y | 3.8 | R | AC,PV | | | | | | |
| LG Seeds | C4411R2 | RR2Y | 4.4 | R | AC,PV | | | | | | |
| LG Seeds | C4544R2 | RR2Y | 4.5 | R | AC,PV | | | | | | |
| NK Brand | S39-U2 § | RR2Y | 3.9 | R | CMBV | | | | | | |
| NK Brand | S45-V8 § | RR2Y | 4.5 | R | CMBV | | | | | | |
| NK Brand | S46-G9 § | RR2Y | 4.6 | R | CMBV | | | | | | |
| NuTech/G2 Gen | | RR | 3.8 | R | SCE | | | | | | |
| NuTech/G2 Gen | | RR | 3.9 | R | SCE | | | | | | |
| NuTech/G2 Gen | | RR | 4.1 | R | SCE | | | | | | |
| NuTech/G2 Gen | | RR | 4.2 | R | SCE | | | | | | |
| Pfister | 38R25 | RR2Y | 3.8 | R | CMB | | | | | | |
| Pfister | 43R29 | RR2Y | 4.3 | R | CMB | | | | | | |
| Pioneer | 93Y92 § | RR | 3.9 | R | None | | | | | | |
| Pioneer | 94Y23 § | RR | 4.2 | R | None | | | | | | |
| Pioneer | 94Y50 § | RR | 4.5 | R | None | | | | | | |
| Pioneer | 94Y70 § | RR | 4.7 | R | None | | | | | | |
| Seed Consultants | - | RR | 3.8 | R | EE,G | | | | | | |
| Seed Consultants | | RR | 3.9 | R | EE,G | | | | | | |
| Seed Consultants | | RR | 3.9 | R | EE,G | | | | | | |
| Seed Consultants | | RR | 4.1 | R | EE,G | | | | | | |
| | | | | | | | | | | | |
| Seed Consultants | 5 363 942 IKK | RR,STS | 4.2 | R | EE,G | | | | | | |



Footnotes and Abbreviation Descriptions

Brand Footnotes

| ^ | G2® brand seed is distributed by NuTech Seed, LLC. HPT® brand seed is distributed by Hoegemeyer Hybrids, Inc. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaxx® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaxx® and XL® are registered trademarks of DuPont Pioneer. |
|----|---|
| СК | 5 |
| CK | Indentifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by F.I.R.S.T. when space permits. |
| § | United Soybean Board sponsored entry |

Soybean Technologies

| | • |
|------|---------------------------------------|
| None | Conventional, non-GMO |
| LL | LibertyLink® |
| RR | Roundup Ready® Soybeans |
| RR2Y | Genuity® Roundup Ready 2 Yield® |
| STS | STS® - sulfonylurea tolerant soybeans |

Soybean Cyst Nematode (SCN) Resistance Rating

| ooy boar | · eyer remareur (eerr) recoloration reating |
|----------|---|
| S | susceptible |
| MR | moderate resistance |
| R | resistant |
| n/a | info unavailable |

Soybean Seed Treatments*

| ? | Information not provided | Ex | Excalibre™ |
|------|---|------|------------------|
| Α | Allegience® | G | Gaucho® |
| AC | Acceleron® fungicide products | I | Inovate™ System |
| ACi | Acceleron® fungicide and insecticide products | None | untreated |
| AM | ApronMaxx® | 0 | Optimize® |
| AP | Apron XL® | PV | Poncho®/Votivo® |
| AVB | Avicta® Complete Beans | RS | Right Stand™ |
| С | Cruiser® | SCE | SmartCote™ Extra |
| CC | CurryCoat™ | SDPI | Servo DPI |
| CMB | CruiserMaxx® Beans | SS+ | Soyshield Plus™ |
| CMBV | CruiserMaxx® Beans with Vibrance | SStd | SureStand™ |
| DPHB | DPH Boost™ | T | Trilex® |
| EE | Evergol™ Energy | | |

^{*} Seed treatments may include unspecified plant health promoting components.