2016 Soybean Top 30 Harvest Report

Iowa South [IASO] WASHINGTON
Tom Vittetoe, Washington County, IA 52353



PREV. CROP/HERB: Corn / Roundup

SOIL DESCRIPTION: Mahaska silty clay loam, mod. well drained, non-irrigated

SOIL CONDITIONS: Moderate P, moderate K, 6 pH, 3.7 % OM

TILLAGE/CULTIVATION: No-til

PEST MANAGEMENT: 2,4-D, Roundup PowerMax, Flexstar, Select

SEEDED - RATE - ROW: May 21 170,000 /A 15" Spacing

All-Season Test Maturity Group 2.6 - 3.6

S2016IASO53

Top 30 of 60

For Gross Income (Sorted by Yield)

Average of (3) Replications

| | , | -, | | 5 | | | | | (| , |
|--------------------|---------------|--------------|------|---------|-------------|--------|----------|-------|-----------------------|--------|
| HARVESTED - STAND: | Oct 18 | 161,300 /A | | | | | | Avera | age of (3) F | |
| | | | | SCN | Seed | Yield | Moisture | | Stand | Gross |
| Company/Brand | Product/Brand | d† Technol.† | Mat. | Resist. | Trt.† | ▼ Bu/A | % | % | (x 1000) | Income |
| Pioneer | P31T77R § | RR | 3.1 | R | EE,G | 76.9 | 12.9 | 8 | 159.3 | \$697 |
| Champion | 34X97N | RRX | 3.4 | R | AC,PV | 76.9 | 12.6 | 10 | 161.3 | \$697 |
| NK Brand | S34-P7 § | RR2Y | 3.4 | R | CCB,Me | 75.5 | 12.4 | 4 | 159.3 | \$684 |
| NK Brand | S35-C3 § | RR2Y | 3.5 | R | CCB,Me | 74.9 | 12.6 | 29 | 157.3 | \$679 |
| Champion | 32X77N | RRX | 3.2 | R | AC,PV | 73.9 | 12.8 | 19 | 175.2 | \$670 |
| Champion | 34R87N | RR2Y | 3.4 | R | AC,PV | 73.6 | 12.5 | 9 | 177.2 | \$667 |
| Pioneer | P32T16R § | RR | 3.2 | R | EE,G | 73.6 | 12.4 | 29 | 165.3 | \$667 |
| Titan Pro | TP-34X86 | RRX | 3.4 | R | IS | 73.5 | 12.8 | 10 | 159.3 | \$666 |
| Pioneer | P27T47R GC | RR | 2.7 | R | EE,G,IL | 72.6 | 12.2 | 6 | 141.4 | \$658 |
| Dairyland | DSR-2909/R2 | | 2.9 | R | CMB | 70.9 | 12.6 | 51 | 161.3 | \$642 |
| Titan Pro | TP-31X26 | RRX | 3.1 | R | IS | 70.5 | 12.6 | 14 | 139.4 | \$639 |
| Dairyland | DSR-3250/R2 | 2Y RR2Y | 3.2 | R | CMB | 70.5 | 12.7 | 54 | 155.3 | \$639 |
| Prairie Brand | PB-3487R2 | RR2Y | 3.4 | R | CCB,In | 68.7 | 12.8 | 6 | 147.4 | \$622 |
| FS HiSoy | HS 34X60 | RRX | 3.4 | R | ACi,CI | 68.7 | 12.6 | 10 | 141.4 | \$622 |
| Stine | 33RH20 § | RR2Y,ST | 3.3 | R | SFI | 68.2 | 13.1 | 22 | 157.3 | \$618 |
| LG Seeds | C3550RX | RRX | 3.5 | R | CCB | 67.6 | 12.4 | 11 | 149.3 | \$612 |
| Pfister | 30R205 | RR2Y | 3.0 | R | CCB | 67.5 | 12.5 | 45 | 155.3 | \$612 |
| Champion | 31R07N | RR2Y | 3.1 | R | AC,PV | 66.7 | 12.6 | 26 | 161.3 | \$604 |
| Asgrow | AG36X6 § | RRX | 3.6 | R | ACi | 66.6 | 12.6 | 20 | 167.3 | \$603 |
| Renk | RS317NX | RRX | 3.1 | R | CMB | 66.3 | 13.0 | 25 | 151.3 | \$601 |
| Renk | RS306NX | RRX | 3.0 | R | AM | 66.0 | 12.4 | 46 | 153.3 | \$598 |
| Titan Pro | TP-26X16 | RRX | 2.6 | R | IS | 65.8 | 12.4 | 22 | 141.4 | \$596 |
| Dyna-Gro | S30RY26 | RR2Y | 3.0 | R | CCB | 65.5 | 12.6 | 36 | 157.3 | \$593 |
| Renk | RS286NR2 | RR2Y | 2.8 | R | CMBV | 65.5 | 12.6 | 42 | 179.2 | \$593 |
| Prairie Brand | PB-3087R2 | RR2Y | 3.0 | R | CCB,In | 65.5 | 12.6 | 54 | 173.2 | \$593 |
| FS HiSoy | HS 33X60 | RRX | 3.3 | R | ACi,Cl | 65.3 | 12.7 | 18 | 151.3 | \$592 |
| Dyna-Gro | S35XT97 | RRX | 3.5 | R | CCB | 65.1 | 12.9 | 11 | 179.2 | \$590 |
| Titan Pro | TP-28X45 | RRX | 2.8 | R | IS | 64.6 | 12.9 | 15 | 193.2 | \$585 |
| FS HiSoy | HS 31X60 | RRX | 3.1 | R | ACi | 64.5 | 12.9 | 20 | 153.3 | \$584 |
| Asgrow | AG32X6 § | RRX | 3.2 | R | ACi | 64.4 | 12.3 | 45 | 151.3 | \$583 |
| | | | | | | | | | | |
| M | | | | | Averages = | | 12.7 | 29 | 161.3 | \$580 |
| 1 - Mb | | | | | SD(0.10) = | | 0.4 | 14 | | |
| Randy Meinsma | | | | LS | SD (0.25) = | 4.9 | 0.3 | 10 | | |
| | | | | | 0 1 / | | | | | |

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.3 Drying = \$0.037 Prices = \$9.06 GMO; \$9.06 non-GMO

TEST COMMENTS: Harvest was delayed a bit, waiting for late maturing beans to dry down. Plants ranged from 43 to 50 inches tall with tough stems on some varieties. The taller varieties had quite a bit of lodging. Pods were small and contained small seed. There was no evidence of major disease issues here but sudden death syndrome was in area fields.

† See last page for abbreviation descriptions. Results in **bold** are significantly above test average by LSD (0.10). **ns** = column values not significantly different.

Additional reports available at www.firstseedtests.com

randym@firstseedtests.com, (815) 238-8007

©2016, all rights reserved by Agronomic Seed Consulting, Inc.

Prev. years avg. yield, 62.1 bu/a, 6 yrs

Report Date: 10/19/2016 Revised:



2016 Soybean - Iowa South [IASO]

All-Season Test Products (60 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt | Compa |
|---------------|---------------|----------|------|-----|----------|----------|
| Asgrow | AG30X6 § | RRX | 3.0 | MR | ACi | Renk |
| Asgrow | AG32X6 § | RRX | 3.2 | R | ACi | Renk |
| Asgrow | AG36X6 § | RRX | 3.6 | R | ACi | Renk |
| Champion | 31R07N | RR2Y | 3.1 | R | AC,PV | Renk |
| Champion | 32X77N | RRX | 3.2 | R | AC,PV | Renk |
| Champion | 34R87N | RR2Y | 3.4 | R | AC,PV | Renk |
| Champion | 34X97N | RRX | 3.4 | R | AC,PV | Renk |
| Dairyland | DSR-2909/R2Y | RR2Y | 2.9 | R | CMB | Stine |
| Dairyland | DSR-3250/R2Y | RR2Y | 3.2 | R | CMB | Stine |
| Dairyland | DSR-3434/R2Y | RR2Y | 3.4 | R | CMB | Stine |
| Dairyland | DSR-3630/R2Y | RR2Y | 3.6 | R | CMB | Titan Pı |
| Dyna-Gro | S30RY26 | RR2Y | 3.0 | R | CCB | Titan Pı |
| Dyna-Gro | S33RY76 | RR2Y | 3.3 | R | CCB | Titan Pı |
| Dyna-Gro | S35XT97 | RRX | 3.5 | R | CCB | Titan Pı |
| FS HiSoy | HS 28X50 | RRX | 2.8 | R | ACi | Titan Pı |
| FS HiSoy | HS 29X60 | RRX | 2.9 | R | ACi | |
| FS HiSoy | HS 31X60 | RRX | 3.1 | R | ACi | |
| FS HiSoy | HS 32A50 | RR2Y | 3.2 | R | ACi,Cl | |
| FS HiSoy | HS 33X60 | RRX | 3.3 | R | ACi,Cl | |
| FS HiSoy | HS 34A50 | RR2Y | 3.4 | R | ACi,Cl | |
| FS HiSoy | HS 34X60 | RRX | 3.4 | R | ACi,Cl | |
| Kruger | K2-3005 | RR2Y | 3.0 | R | ACi | |
| Kruger | K2-3503 | RR2Y | 3.5 | R | ACi | |
| LG Seeds | C3321R2 | RR2Y | 3.3 | R | CCB | |
| LG Seeds | C3550RX | RRX | 3.5 | R | CCB | |
| NK Brand | S34-P7 § | RR2Y | 3.4 | R | CCB,Me | |
| NK Brand | S35-C3 § | RR2Y | 3.5 | R | CCB,Me | |
| NK Brand | S36-Y6 § | RR2Y,ST | 3.6 | R | CCB,Me | |
| Pfister | 26R204 | RR2Y | 2.6 | R | CCB | |
| Pfister | 28R202 | RR2Y | 2.8 | R | CCB | |
| Pfister | 29R25 | RR2Y | 2.9 | R | CCB | |
| Pfister | 30R205 | RR2Y | 3.0 | R | CCB | |
| Pfister | 32R201 | RR2Y | 3.2 | R | CCB | |
| Pfister | 35R201 | RR2Y | 3.5 | R | CCB | |
| Pfister | 35R25 | RR2Y | 3.5 | R | CCB | |
| Pioneer | 92Y51 § | RR | 2.5 | R | EE,G | |
| Pioneer | P25T51R GC | RR | 2.5 | R | EE,G | |
| Pioneer | P27T47R GC | RR | 2.7 | R | EE,G,IL | |
| Pioneer | P28T08R GC | RR | 2.8 | R | EE,G,IL | |
| Pioneer | P31T77R § | RR | 3.1 | R | EE,G | |
| Pioneer | P32T16R § | RR | 3.2 | R | EE,G | |
| Prairie Brand | PB-2997R2 | RR2Y | 2.8 | R | CCB,In | |
| Prairie Brand | PB-3087R2 | RR2Y | 3.0 | R | CCB,In | |
| Prairie Brand | PB-3377R2 | RR2Y | 3.3 | R | CCB,In | |
| Prairie Brand | PB-3487R2 | RR2Y | 3.4 | R | CCB,In | |

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt |
|---------------|---------------|----------|------|-----|----------|
| Renk | RS276NX | RRX | 2.8 | R | AM |
| Renk | RS286NR2 | RR2Y | 2.8 | R | CMBV |
| Renk | RS306NX | RRX | 3.0 | R | AM |
| Renk | RS316NR2 | RR2Y | 3.1 | R | CMB |
| Renk | RS317NX | RRX | 3.1 | R | CMB |
| Renk | RS335NR2 | RR2Y | 3.3 | R | CMB |
| Renk | RS357NX | RRX | 3.5 | R | CMB |
| Stine | 29RE22 § | RR2Y,ST | 2.9 | R | SFI |
| Stine | 30RE02 § | RR2Y | 3.0 | R | SFI |
| Stine | 33RH20 § | RR2Y,ST | 3.3 | R | SFI |
| Titan Pro | TP-26X16 | RRX | 2.6 | R | IS |
| Titan Pro | TP-28X45 | RRX | 2.8 | R | IS |
| Titan Pro | TP-30X05 | RRX | 3.0 | R | IS |
| Titan Pro | TP-31X26 | RRX | 3.1 | R | IS |
| Titan Pro | TP-34X86 | RRX | 3.4 | R | IS |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



Footnotes and Abbreviation Descriptions

Brand Footnotes

§

G2® brand seed is distributed by NuTech Seed, LLC. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaxx® brand seed is distributed by AgVenture, Inc. XL® brand seed is distributed by Beck's Superior Hybrids. Curry \$, G2\$, HPT\$, RPM\$, Supreme EX\$, VPMaxx\$ and XL\$ are registered trademarks of DuPont Pioneer. CK Identifies a check product included in early- and full-season tests. GC Grower Comparison product included by FIRST when space permits. United Soybean Board sponsored entry

Soybean Technologies

| LL | LibertyLink® |
|------|---------------------------------|
| None | Conventional, non-GMO |
| Р | Plenish® |
| RR | glyphosate tolerant |
| RR2Y | Genuity® Roundup Ready 2 Yield® |
| RRX | Genuity® Roundup Ready 2 Xtend® |
| ST | sulfonylurea tolerant |

Soybean Cyst Nematode (SCN) Resistance Rating

| S | susceptible |
|-----|---------------------|
| MR | moderate resistance |
| R | resistant |
| n/a | info unavailable |

Soybean Seed Treatments*

| n/a | info unavailable | IL | ILeVO® |
|------|---|------|----------------------------------|
| AC | Acceleron® fungicide products | In | Intego™ Solo |
| ACi | Acceleron® fungicide and insecticide products | IS | Intego™ Suite |
| AG | ArmourGuard™ | MAG | Maximum ArmourGuard™ |
| AM | ApronMaxx® | Me | Mertect® |
| AVB | Avicta® Complete Beans | Mg | Magnum ST™ (standard) |
| CCB | Clariva™ Complete Beans | NCFI | N-Compass™ Plus F/I |
| Cl | Clariva™ pn | None | untreated |
| CMB | CruiserMaxx® Beans | PV | Poncho®/Votivo® |
| CMBV | CruiserMaxx® Beans with Vibrance | SDPI | Servo™ DPI |
| DPHB | DPH Boost® | SFI | Stine XP fungicide & insecticide |
| DST | Dominance™ ST | SS | Soyshield™ |
| DX | Defend™ Extra | SS+ | Soyshield Plus™ |
| EE | Evergol™ Energy | SStd | SureStand™ |
| En | Encase® | TE | Trius™ Elite |
| G | Gaucho® | WCX | Warden® CX |
| Gr+ | Great Start™ Max Plus | | |

 $[\]ensuremath{^{*}}$ Seed treatments may include unspecified plant health promoting components.